BATCH RECORD FOR MEDICAL LIQUID OXYGEN (HOME UNITS FILLED CURBSIDE) INCOMING OXYGEN IS TESTED BY THE SUPPLIER AND THE FIRM WITNESSED THE TESTING & RECEIVED A COA

ח	Δ	Т	F	O	F	FI	L	١.
ட	$^{-}$		_	\sim			_	ـ.

LABELS DESTROYED:

LABELS RETURNED:

SUPPLIERS LOT NUMBER(S)	SU	PPL	IERS	LOT	NUN	/IBER	(S)):
-------------------------	----	-----	-------------	-----	-----	-------	-----	----

- VEHICLE MOUNTED VESSEL #1:
- VEHICLE MOUNTED VESSEL #2:

PATIENT'S NAME	VESSEL ID#	EXTERNAL VESSEL CHECK ✓	INLET/OULET CONNECTION CHECK ✓	VOLUME/ CONTENTS GAUGE CHECK ✓	LABEL ✓	VESSEL # (IF VAN CONTAINS TWO MOUNTED VESSELS)	QUANTITY (pounds filled)	FILLERS INTIALS
LABELS USED:								

DATE REVIEWED:

QUALITY CONTROL REVIEW:

DMDG Revision 11-14-06